

TURFGRASS TOLERANCE TO PRE-EMERGENCE HERBICIDES

	Bahiagrass	Bermudagrass	Centipedegrass	Kentucky Bluegrass	St. Augustinegrass	Seashore Paspalum	Tall Fescue	Zoysiagrass
PRE-EMERGENCE								
<i>atrazine</i>	NR	D	T	NR	T	NR	NR	I-T
<i>benefin</i>	T	T	T	T	T	NR	T	T
<i>benefin + oryzalin</i>	T	T	T	NR	T	NR-I	T	T
<i>benefin + trifluralin</i>	T	T	T	T	T	NR-T	T	T
<i>bensulide</i>	T	T	T	T	T	NR-T	T	T
<i>bensulide + oxadiazon</i>	NR	T	NR	T	NR	NR	T	T
<i>dithiopyr</i>	T	T	T	T	T	T	T	T
<i>isoxaben</i>	T	T	T	T	T	NR	T	T
<i>mesotrione</i>	NR	NR	T	T	I	NR	T	NR
<i>metolachlor</i>	T	T	T	NR	T	NR	NR	T
<i>oryzalin</i>	T	T	T	NR	T	NR-I	T	T
<i>oxadiazon</i>	T	T	NR	T	T	T	T	T
<i>oxadiazon + benefin</i>	NR	T	T	T	T	NR	T	T
<i>pendimethalin</i>	T	T	T	T	T	NR-T	T	T
<i>prodiamine</i>	T	T	T	T	T	T	T	T
<i>pronamide</i>	NR	T	T	NR	T	NR-T	NR	T
<i>simazine</i>	NR	I-T	T	NR	T	NR	NR	T
<i>sulfentrazone + prodiamine</i>	T	T	T	T	NR	T	T	T
T = tolerant; I=intermediate tolerance, use low rates; D = dormant use; NR = not registered for use; S = sensitive								

Supplemental 2(ee) label recommendations may be available for some listed pesticides. It is the end-user's responsibility to consult the manufacturer or websites like www.CDMS.net for additional recommendations