



KENTUCKY BLUEGRASS LAWN CALENDAR

Mowing Height:

3” – 4” raise ½” higher in hot weather. Remove no more than ¼ total height at one time.

Water:

1” per week if no rainfall. 30 days watering allowed for newly planted sod or seed. Sod laid in fall or winter months should be kept moist.

Fertilization: 3 – 4 lbs N/1000 ft²/YR

Follow fertilizer recommendations on soil test report. If the soil was not tested, use any turf fertilizer and follow label rates.

Ideal pH Range: 5.5 – 6.5

Use dolomitic lime per soil test recommendation. Can be applied at any time.

Aeration:

Use a core aerator during active growth season.

Dethatch: If thatch exceeds ½”, use a vertical mower with blades 1” apart; go over the lawn in two directions. Topdressing with ¼” of soil can be effective.

Seeding – New Lawn*:

1 - 2 lbs per 1000 ft².

Interseeding–Established Lawns*:

1 - 2 lbs seed per 1000 ft².

Sodding:

Sod may not be available in all months of the year.

Weed Control:

Read product label carefully to determine which weeds are controlled and on which grasses the product can be used.

Spring preemergence* prevents crabgrass, goosegrass, and other summer weeds.

Broadleaf postemergence* spot spray to control broadleaf plants like chickweed, wild violet, dandelion, wild onion, etc.

Grassy weed postemergence* control grassy weeds like crabgrass, dallisgrass, etc. Do not apply to drought-stressed turf.

Winter preemergence* prevents chickweed and other winter weeds. Do not apply preemergence herbicides if lawn is to be seeded, interseeded, or sodded within 3 to 4 months.

		B Best Month			P Possible Month			M Marginal Month			
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	New sod	New sod
	B	B	P			P		P	B	B	B
B	B	B	P	P	P	P	P	P	P	B	B
M	M	B	B	M				P	B	P	M
P	P	P	P						P	P	P
	P	P	M	M				B	B	P	
M	P	P	P					B	B	P	M
	B	P	P	M				B	B	P	
B	B	B	P	M				P	B	B	B
	B	B	P								
OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
				P	P	M	M				
								B	P		

* Read weed control product labels carefully. Some products cannot be applied within a few weeks of establishment.